

ORDINANCE NO. 2016 - 30

AN ORDINANCE AMENDING CHAPTER 922 OF THE CODIFIED ORDINANCES OF THE CITY OF WILLOWICK, OHIO, TITLED "WILLOUGHBY-EASTLAKE WASTEWATER COLLECTION AND TREATMENT SYSTEM"; SPECIFICALLY, SECTION 922.02, TITLED "DEFINITIONS," AND SECTION 922.20, TITLED, "HAULER PROHIBITIONS."

WHEREAS, an Ohio Environmental Protection Agency ("OEPA") Pretreatment Program Audit Inspection was conducted on March 9th and March 10th, 2016, with reference to the Willoughby-Eastlake Water Pollution Control Center; and

WHEREAS, the OEPA as a result of this inspection has recommended minor changes to the Willoughby-Eastlake Water Pollution Control Center Use Ordinance which, in part, requires surrounding communities who discharge to the Willoughby-Eastlake Water Pollution Control Center to update their relevant sewer use ordinances accordingly;

NOW, THEREFORE, BE IT ORDAINED by the Council of the City of Willowick, County of Lake, State of Ohio that:

Section 1. That Chapter 922 of the Codified Ordinances of the City of Willowick, Ohio, titled "Willoughby-Eastlake Wastewater Collection and Treatment System"; specifically, Section 922.02, titled "DEFINITIONS," and Section 922.20, titled "HAULER PROHIBITIONS" are hereby amended to read and provide as follows:

922.02 DEFINITIONS.

As used in this chapter, certain terms are defined as follows:

(1) "Act" means the Federal Water Pollution Control Act . . .

* * *

(34) "Normal sewage" means sewage which, when analyzed, shows, by weight, a daily average of not more than 225 milligrams per liter (mg/l) suspended solids; nor more than 185 mg/1 C.B.O.D. and/or 250 mg/1 C.O.D.; nor more than fifty mg/1 ammonia; nor more than eight mg/1 ~~ether~~ **soluble matter** grease and oil (**Hexane EPA Method 1664A**); nor more than eight mg/1 phosphorus. These concentrations will be used for determining surcharges.

* * *

(41) "Phosphorus-**Total**" means a constituent in wastewater identified in "Standard Methods for the Examination of Water and Wastewater."

* * *

(63) "Suspended solids-**Total**" means solids that either float on the surface of, or are in suspension in, water, sewage or other liquid and which are removable by laboratory filtering.

* * *

922.20 HAULER PROHIBITIONS.

No hauler shall discharge any septic tank waste or other scavenger waste (**waste material generated outside of service area**) into any sanitary or storm sewer, manhole, catch basin, or any appurtenance thereto, or into any natural watercourse.


* * *

Section 2. All formal actions of this Council concerning the passage of this Ordinance were adopted in an open meeting, and that all deliberations of this Council, or any of its Committees, which resulted in such formal action, were in meetings open to the public, in compliance with all legal requirements, including Chapter 107 of the Codified Ordinances and Section 121.22 of the Ohio Revised Code.

Adopted by Council: 6/7/16


Robert Patton, Council President

Attest: Susan K. Wovroch
Clerk of Council

Approved by Mayor: 6/8/2016

Mayor Richard J. Regovich